# Contents

Foreward . . . . . xi
Preface . . . . . xv

**HISTORY OF THE f-ELEMENTS**

**Invited lectures:**

Lanthanides since 1839: from crowded elements to quantum-chemical Rosetta Stone . . . . . 1
C. K. Jørgensen (Geneva, Switzerland)

Concepts and techniques in the discovery of the actinide elements . . . . . 7
A. G. Maddock (Cambridge, U.K.)

**I. COORDINATION CHEMISTRY**

**Invited lectures:**

Some aspects of the coordination and organometallic chemistry of thorium and uranium ($M^{III}$, $M^{IV}$, $U^{V}$) in +3 and +4 oxidation states . . . . . 13
P. C. Blake, M. F. Lappert, R. G. Taylor (Brighton, U.K.), J. L. Atwood and Hongming Zhang (Alabama, Ala., U.S.A.)

New trends in the structural chemistry of actinide and lanthanide coordination compounds . 21
G. Bombieri (Milan, Italy)

Europium(III) complexation reactions in water . . . . . 33
H. B. Silber (San Jose, Calif., U.S.A.)

Schiff base complexes of lanthanides and actinides . . . . . 39
P. A. Vigato (Padua, Italy) and D. E. Fenton (Sheffield, U.K.)

**Posters:**

Crystal structures of three $UO_2^{2+}$ complexes with S-donors . . . . . 49
M. Pennington, N. W. Alcock (Coventry, U.K.) and D. Brown (Didcot, U.K.)

Crystal structure of the adduct of thorium(IV) tetrakisacetylacetonate with aniline $[Th(C_5H_7O_2)_4]_2 \cdot C_6H_5NH_2$ . . . . . 51
P. J. Reeves and A. J. Smith (Sheffield, U.K.)

A novel (3 + 3) hexaimine Schiff base macrocyclic complex of lanthanum . . . . . 55
D. E. Fenton, S. J. Kitchen, C. M. Spencer (Sheffield, U.K.), P. A. Vigato and S. Tamburini (Padua, Italy)

Lanthanide complexes with macrocyclic and macroacyclic Schiff bases . . . . . 59
E. Bullita, U. Casellato, P. Guerriero and P. A. Vigato (Padua, Italy)

Actinide complexes with Schiff bases: the first crystal structure of a binuclear thorium(IV) complex with a pentadentate compartmental ligand . . . . . 61
U. Casellato, P. Guerriero, S. Tamburini, P. A. Vigato and R. Graziani (Padua, Italy)

Dioxouranium(VI) complexes with polydentate Schiff bases containing acetal groups . . . . . 65
S. Sitran, D. Tregona, U. Casellato, P. A. Vigato and G. Faraglia (Padua, Italy)

Lanthanide complexes with pyridine-2,6-dicarboxylic and thiophene-2,5-dicarboxylic acids . 67
P. Guerriero, U. Casellato, S. Sitran, P. A. Vigato and R. Graziani (Padua, Italy)

Novel Schiff base complexes of some f-transition and related elements . . . . . 69
H. A. Tayim (Riyadh, Saudi Arabia)

© Elsevier Sequoia/Printed in Switzerland

Polypyrazolylborate complexes of yttrium and lanthanum . . . . . 71
D. L. Reger, J. A. Lindeman and L. Lebioda (Columbia, S.C., U.S.A.)

Mixed pyrazolylborate–β-diketonate–Ln(III) complexes . . . . . 75
W. D. Moffat, M. V. R. Stainer and J. Takats (Edmonton, Alta., Canada)

Synthesis and characterization of $UCl_2[HB(3,5\text{-}Me_2pz)_3](3,5\text{-}Me_2pz)$ and $MCl_3[HB(3,5\text{-}Me_2pz)_3](3,5\text{-}Me_2pzH)$ (M = U(IV) and Th(IV); pz = pyrazolyl). . . . . 79
N. Marques, J. Marçalo, A. Pires de Matos (Sacavém, Portugal), K. W. Bagnall (Manchester, U.K.) and J. Takats (Edmonton, Alta., Canada)

U(IV) and Th(IV) hydrotris(3,5-dimethylpyrazolyl)borate complexes with asymmetric metal centres . . . . . 83
N. Marques, J. Marçalo, T. Almeida, J. M. Carretas, A. Pires de Matos (Sacavém, Portugal), K. W. Bagnall (Manchester, U.K.) and J. Takats (Edmonton, Alta., Canada)

Reduction of uranium(IV) complexes containing the hydrotris(3,5-dimethylpyrazolyl)borate ligand . . . . . 87
Uranium(IV) bishydrotris(pyrazol-1-yl)boratothiolato derivatives. . . . . 89
I. Santos, N. Marques and A. Pires de Matos (Sacavém, Portugal)

Preparation and crystal structures of tetrakis(methyltrihydroborato)uranium(IV)bis(tetrahydrofuranate) and tetrakis(methyltrihydroborato)uranium(IV)tetrahydrothiophenate . . . . 91
Preparation of some Lewis base adducts of tris(methyltrihydroborato)Ho and Yb and crystal structures of tris(methyltrihydroborato)ytterbium(III)etherate and tris(methyltrihydroborato)holmium(III)bis(pyridine) . . . . . 97
R. Shinomoto, A. Zalkin and N. M. Edelstein (Berkeley, Calif., U.S.A.)

Crystal structure of a dysprosium trichloride complex with oxygen donor ligands . . . . . 103
Zhang Xing-wang, Li Xing-fu (Beijing, China), F. Benetollo (Padua, Italy) and G. Bombieri (Milan, Italy)

Recent advances in the chemistry of $UX_4$ complexes (X = Cl, Br and I) . . . . . 105
J. G. H. du Preez and B. Zeelie (Port Elizabeth, South Africa)

Ultrasonic relaxation measurements on erbium chloride in water and aqueous methanol . . . . 107
H. B. Silber and Yue Zhang (San Jose, Calif., U.S.A.)

Possible stabilization of the tetravalent oxidation state of berkelium and californium in acetonitrile with triphenylarsine oxide. . . . . 111
G. F. Payne and J. R. Peterson (Oak Ridge, Tenn., U.S.A.)

A Mössbauer effect study of some europium(III) nitrate complexes with unidentate oxygen-donor ligands . . . . . 113
F. Grandjean (Sart-Tilman, Belgium), G. J. Long, M. L. Buhl (Rolla, Mo., U.S.A.), U. Russo, B. Zarli and G. Valle (Padua, Italy)

Thermodynamics of Ln(III) complexation with AMP and ATP. . . . . 119
S. M. Shanbhag and G. R. Choppin (Tallahassee, Fla., U.S.A.)

Studies on lanthanoid sulfites.
Part VII. Preparative and thermal study on rare earth sulfite sulfate hydrates . . . . . 121
M. Leskelä, J. Everardo X. de Matos and L. Niinistö (Espoo, Finland)

Thermal decomposition of octakis(*p*-dimethylphenylsulfoxide)lanthanide(III) perchlorates in a helium atmosphere. . . . . 125
M. A. Bañares, M. E. Pérez and R. J. Ruano (Salamanca, Spain)

Synthesis and characterization of sodium di-μ-hydroxo-bis[3,6-disulpho-1,2-naphthoquinone-1-oximato-*O,N*-dioxouranate(VI)] . . . . . 129
A. Vainiotalo, T.-P. Jauhiainen, J. Vepsäläinen and M. Kauppinen (Joensuu, Finland)

Synthesis and crystal structure of a complex [perrhenate-bis(1,4-dithiane 1,4-dioxide)mono-($\mu$-1,4-dithiane 1,4-dioxide)triaquaholmium(III) polymer] perrhenate-1,4-dithiane 1,4-dioxide . . . . . 131
J. M. Miranda, M. A. Oliveira, E. E. Castellano (São Carlos, Brazil), E. Scoralick, L. B. Zinner and G. Vicentini (São Paulo, Brazil)

Synthesis and characterization of several lanthanide complexes with ethyl α-ketocyclopentyl carboxylate . . . . . 135
M. A. Bañares, A. Angoso, J. L. Manzano, E. Rodríguez and M. T. Blasco (Salamanca, Spain)

$^{31}P$ and $^{23}Na$ NMR lanthanide induced shifts in axially symmetric macrocyclic phosphonate complexes . . . . . 137
A. D. Sherry, C. F. G. C. Geraldes and W. P. Cacheris (Richardson, Tex., U.S.A.)

Studies on the kinetics of formation and dissociation of the cerium(III)–DOTA complex . . . 141
E. Brücher, G. Laurenczy and Zs. Makra (Debrecen, Hungary)

The formation of mixed complexes of NdMEDTA and NdHyEDTA with acetate. . . . . 143
W. D'Olieslager, M. De Jonghe, M. Wevers and L. Heerman (Heverlee, Belgium)

Water exchange kinetics on lanthanide(III) ions: a variable temperature and pressure $^{17}O$ NMR study . . . . . 147
C. Cossy, L. Helm and A. E. Merbach (Lausanne, Switzerland)

$^{139}La$ NMR and quantitative FT-IR investigation of the interaction between Ln(III) ions and various anions in organic solvents . . . . . 151
J.-C. G. Bünzli, A. E. Merbach and R. M. Nielson (Lausanne, Switzerland)

Competitive equilibria in lanthanide trifluoromethanesulfonate solutions in propylene carbonate containing a 15-crown-5 ether . . . . . 153
F. Pilloud and J.-C. G. Bünzli (Lausanne, Switzerland)

Synthesis and characterization of complexes of neodymium(III) with piperazines . . . . . 155
Arun Kumar Trikha (Patiala, India)

Dioxouranium(VI) complexes with γ-disulfoxides . . . . . 159
E. B. de Paiva e Sá, M. I. D. Holanda and J. A. P. Holanda (Fortaleza-Ceará, Brazil)

Synthesis and infrared studies of dichlorolanthanide complexes of ethyl 2-(diphenyloxophosphino)acetates . . . . . 161
Hsu-kun Wang, Ming-jie Zhang and Ji-tao Wang (Tianjin, China)

Complexation of trivalent lanthanides and yttrium by benzylidenepyruvates in aqueous solution. . . . . 163
C. B. Melios, J. T. Souza Campos, M. A. C. Mazzeu, L. L. Campos, M. Molina and J. O. Tognolli (Araraquara, Brazil)

Synthesis and characterization of rare earth monophthalocyanine complexes . . . . . 165
Ni Jiazan, Shi Feng, Li Zhenxiang and Yin Shaoming (Changchun, China)

## II. ORGANOMETALLIC CHEMISTRY

**Invited Lectures:**

Synthesis, structure and reactivity of organometallic complexes of Sm(II) . . . . . 169
W. J. Evans (Irvine, Calif., U.S.A.)

Reactivity of the uranium–carbon σ-bond in 'silylamido' compounds . . . . . 171
A. Dormond, A. Aaliti, A. El Bouadili and C. Moise (Dijon, France)

Small molecule activation at the uranium carbon multiple bond . . . . . 177
J. W. Gilje and R. E. Cramer (Honolulu, Hawaii, U.S.A.)

**Posters:**

Tris(2,6-di-t-butylphenoxo)yttrium: a three-coordinate hydrocarbon-soluble aryloxide of yttrium . . . . . 183
P. B. Hitchcock, M. F. Lappert and R. G. Smith (Brighton, U.K.)

The synthesis and X-ray structure of a novel monocyclopentadienyluranium(IV) chloride $[UCp'''Cl_2(THF)(\mu\text{-}Cl)_2Li(THF)_2]$ [$Cp''' = \eta\text{–}C_5H_2(SiMe_3)_3\text{-}1,2,4$] . . . . . 185
M. A. Edelman, M. F. Lappert (Brighton, U.K.), J. L. Atwood and Hongming Zhang (Alabama, Ala., U.S.A.)

Organoactinide complexes.
Part I. Synthesis and structure of tris(cyclopentadienyl)uranium fluoroalkoxides. . . . . 187
F. Knösel, H. W. Roesky and F. Edelmann (Göttingen, F.R.G.)

The reaction of diiodoethane with neptunium and plutonium metals. . . . . 189
D. G. Karraker (Aiken, S.C., U.S.A.)

Reduced biuranocenylene – a mixed valence organouranium compound? . . . . . 193
A. Streitwieser, Jr. and D. C. Eisenberg (Berkeley, Calif., U.S.A.)

Studies on organolanthanide complexes.
XVII. Syntheses and identification of 1,1′-pentamethylenedicyclopentadienyl lanthanide chlorides, yttrium chloride and yttrium cyclopentadienyl derivative . . . . . 195
Changtao Qian, Zuowei Xie and Yaozeng Huang (Shanghai, China)

The coordination chemistry of trivalent uranium and cerium . . . . . 201
J. G. Brennan, S. D. Stults, R. A. Andersen and A. Zalkin (Berkeley, Calif., U.S.A.)

Studies on rare earth allyl compounds.
IV. The crystal structure of $[Li_2(\mu\text{-}C_3H_5)(C_4H_8O_2)_3][Ce(\eta^3\text{-}C_3H_5)_4]$ . . . . . 203
Zuen Huang, Mingqin Chen, Wenjie Qiu and Wenling Wu (Shanghai, China)

Crystal and molecular structure of a novel organoactinide complex: $[U(C_5H_5)_3(NCCH_3)_2]^+$-$[Th(C_5H_5)Cl_4(NCCH_3)]^-$ . . . . . 209
J. Rebizant, C. Apostolidis (Karlsruhe, F.R.G.), M. R. Spirlet (Liège, Belgium) and B. Kanellakopulos (Karlsruhe, F.R.G.)

Structural investigations of the isomorphous propionitrile-tris($\eta^5$-cyclopentadienyl) lanthanoid(III) (Ln = La, Pr, Yb) complexes and of the corresponding 1:2 adducts . . . . . 211
M. R. Spirlet (Liège, Belgium), J. Rebizant, C. Apostolidis and B. Kanellakopulos (Karlsruhe, F.R.G.)

Structural chemistry of lanthanide dicyclopentadienide halides.
Part 5. Gadoliniumdicyclopentadienidechloride $[Gd(C_5H_5)_2Cl]_4$ . . . . . 215
W. Lamberts, B. Hessner and H. Lueken (Aachen, F.R.G.)

## III. THEORY AND SPECTROSCOPY

**Invited Lectures:**

The europium(III) ion as spectroscopic probe in bioinorganic chemistry . . . . . 219
J.-C. G. Bünzli (Lausanne, Switzerland)

Spectroscopic properties of tetravalent actinide ions in solids. . . . . 223
J. C. Krupa (Orsay, France)

Recent developments in the theory of f-element molecules . . . . . 243
P. Pyykkö (Helsinki, Finland)

An MO study on structures and reactivity of organoactinides based on the extended Hückel method: actinide bis(cyclopentadienyl) complexes . . . . . 247
K. Tatsumi and A. Nakamura (Osaka, Japan)

**Posters:**

Crystal field effects in lutetium disilicates doped with $Eu^{3+}$ . . . . . 253
J. Hölsä, P. Porcher (Espoo, Finland) and C. Chateau (Meudon, France)

Luminescence of $Eu^{3+}$ ion as a structural probe in high temperature phase transformations in lutetium orthoborates . . . . . 257
J. Hölsä (Espoo, Finland)

Photoluminescence study of $Tb^{3+}$ doped alkaline earth sulfide thin films . . . . . 261
M. Asplund, J. Hölsä, M. Leskelä, L. Niinistö and E. Nykänen (Espoo, Finland)

Energy transfer in some luminescent gadolinium fluorides . . . . . 265
R. Mahiou, J. Metin, D. Zambon, A. Arbus, M. T. Fournier and J. C. Cousseins (Aubière, France)

Optical properties of $U^{4+}$ in $\alpha$-$ThBr_4$ . . . . . 269
E. Simoni, S. Hubert and M. Genet (Orsay, France)

Laser induced fluorescence of $^{249}Bk^{4+}$ in $CeF_4$ . . . . . 273
G. M. Jursich, J. V. Beitz, W. T. Carnall, G. L. Goodman, C. W. Williams and L. R. Morss (Argonne, Ill., U.S.A.)

Crystal-field analysis of $Tb^{3+}$:$LaF_3$ and $Gd^{3+}$:$LaF_3$ in $C_{2v}$ site symmetry . . . . . 275
W. T. Carnall, G. L. Goodman, G. M. Jursich (Argonne, Ill., U.S.A.), R. S. Rana (Worcester, Mass., U.S.A.), P. Vandevelde, L. Fluyt and C. Görller-Walrand (Heverlee, Belgium)

A spectroscopic study of the $TbAl_3(BO_3)_4$ crystal . . . . . 277
C Görller-Walrand, P. Vandevelde, I. Hendrickx (Heverlee, Belgium), P. Porcher (Meudon, France) and J. C. Krupa (Orsay, France)

Absorption and emission analysis of $Pr^{3+}$ in yttrium aluminium garnet . . . . . 281
E. Antic-Fidancev, M. Lemaître-Blaise, P. Caro (Meudon, France) and J. C. Krupa (Orsay, France)

Spin-correlated crystal-field interactions in $NdF_3$, $Nd^{3+}$:$LaF_3$, and $Nd^{3+}$:$LiYF_4$ . . . . . 287
C. K. Jayasankar, F. S. Richardson, M. F. Reid (Charlottesville, Va., U.S.A.), P. Porcher and P. Caro (Meudon, France)

Re-examination of the $4f^3$ energy parameters for several systems with neodymium–oxygen atom coordination . . . . . 291
C. K. Jayasankar, F. S. Richardson, M. F. Reid (Charlottesville, Va., U.S.A.), P. Porcher and P. Caro (Meudon, France)

Two-photon excitation of the $Sm^{2+}$ ion in BaClF . . . . . 295
J. C. Gâcon, J. M. Marcerou and B. Jacquier (Villeurbanne, France)

Eu(III) as a sensitive probe of ligand conformation in dicyclohexyl-18-crown-6-complexes . . 297
D. Plancherel (Lausanne, Switzerland)

Importance of the ligand excess in investigations of the fluorescence intensity of the lanthanide(III) complexes of aminopolyacetic acids in aqueous solutions . . . . . 299
M. Elbanowski, S. Lis, B. Makowska and J. Konarski (Poznań, Poland)

Luminescence behaviour of uranyl nitrate hydrates . . . . . 301
H. D. Burrows, S. J. Formosinho and M. da Graça Miguel (Coimbra, Portugal)

Spectroscopic investigation of Eu–EDTA complexes . . . . . 303
J. Dexpert-Ghys, J. Halwani and B. Piriou (Meudon, France)

Peculiar fluorescence of $Eu^{3+}$ in oxyapatites . . . . . 307
B. Piriou, D. Fahmi, J. Dexpert-Ghys (Meudon, France), A. Taitai and J. L. Lacout (Toulouse, France)

The complexation of uranyl ion with carboxylic acids studied by $^1H$ and $^{13}C$ NMR . . . . . 309
M. T. Nunes (Sacavém, Portugal) and V. M. S. Gil (Coimbra, Portugal)

A NMR study of lanthanide-NOTA chelates as aqueous paramagnetic shift and relaxation probes . . . . . 311
C. F. G. C. Geraldes, M. P. M. Marques (Coimbra, Portugal) and A. D. Sherry (Richardson, Tex., U.S.A.)

Lanthanum-139 NMR spectroscopy of triscyclopentadienyllanthanum(III) derivatives: a promising new tool for solution studies . . . . . 315
S. H. Eggers, M. Adam, E. T. K. Haupt and R. D. Fischer (Hamburg, F. R. G.)

Anisotropy in the proton NMR paramagnetic shift of cyclooctatetraene and cyclopentadiene anions coordinated to U(IV) . . . . . 319
B. R. McGarvey and S. Nagy (Windsor, Ont., Canada)

A model for describing paramagnetic Mössbauer relaxation spectra of organometallic $^{237}Np$ compounds . . . . . 323
G. Adrian (Karlsruhe, F. R. G.)

Photoelectron spectroscopy (UPS/XPS) study of $Np_2O_3$ formation on the surface of neptunium metal . . . . . 327
J. R. Naegele (Karlsruhe, F. R. G.), L. E. Cox and J. W. Ward (Los Alamos, N. Mex., U.S.A.)

A photoelectron study of pentavalent uranium imido complexes . . . . . 331
J. B. Brennan, J. C. Green and C. M. Redfern (Oxford, U.K.)

The electronic structure of organometallic complexes of the f elements.
XIX. Parametrization of the crystal field splitting patterns of quasi trigonal bi-pyramidal anionic complexes involving the tris($\eta^5$-cyclopentadienyl)uranium(IV) moiety . . . . . 335
H.-D. Amberger, H. Reddmann (Hamburg, F.R.G.), G. Shalimoff and N. M. Edelstein (Berkeley, Calif., U.S.A.)
XXI. The crystal field splitting pattern of perdeuterated tris($\eta^5$-cyclopentadienyl)uranium-(IV)chloride in the low energy range . . . . . 339
H.-D. Amberger, H. Reddmann (Hamburg, F.R.G.) and N. M. Edelstein (Berkeley, Calif., U.S.A.)

Oscillator strengths for f → d transitions in lanthanide and actinide aqua ions . . . . . 341
B. R. Judd (Baltimore, Md., U.S.A.)

Electronic Raman effect in lanthanide(III) complexes.
Ligand polarization contribution . . . . . 343
J. Sztucki and W. Stręk (Wrocław, Poland)

Photostimulated oxygen exchange and photochemical properties of uranyl ions . . . . . 345
S. A. Gaziev, N. G. Gorshkov, L. G. Mashirov and D. N. Suglobov (Leningrad, U.S.S.R.)

New $^{166}Er$ nuclear states populated in the $^{166m}Ho$ decay . . . . . 353
Th. Ogandaga, J. Dalmasso, A. Hachem and G. Ardisson (Nice, France)

**Author Index** . . . . . 355

**Subject Index** . . . . . 357